

MADE IN ITALY. MADE TO EXCEL.

MARVEL

DIVA

Interactive version

MARBLE LOOK

WALL TILES

Rivestimenti
Revêtements
Wandfliesen
Revestimientos
Настенная плитка

PORCELAIN TILES

Gres Porcellanato
Grès cérame
Feinsteinzeug
Gres porcelánico
Керамический гранит



Atlas Concorde is one of the leading global brands in the production of ceramic tiles and large slabs for design and architecture. With over 50 years of history, two production plants, and numerous showroom in the capitals of international design, Atlas Concorde offers integrated and sustainable ceramic systems for floors, walls, outdoor spaces, worktops, bathroom furnishings, facades and special projects. Design your world with Atlas Concorde.

Atlas Concorde è uno dei principali brand mondiali nella produzione di superfici e grandi lastre ceramiche per il design e l'architettura. Con oltre cinquant'anni di storia, due stabilimenti produttivi, numerose showroom nelle capitali della progettazione internazionale, offriamo sistemi ceramici integrati e sostenibili per pavimenti, rivestimenti, outdoor, piani di lavoro, arredo bagno, facciate e progetti speciali. Design your world with Atlas Concorde.

atlasconcorde.com



INDEX

- INSPIRATION
- IMAGE GALLERY
- SURFACE RANGE & TECHNICAL SPECIFICATION

INDEX



INSPIRATION



IMAGE GALLERY



SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO



ICONIC LIKE A DIVA.



INDEX



INSPIRATION



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





Polished surface
PORCELAIN TILES



Velvet surface

PORCELAIN TILES

Velvtech



OUR BEST
SELECTION
OF FINISHES.

INDEX



INSPIRATION



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





Silk surface

PORCELAIN TILES




LIGHT REFLECTION








Matte surface

PORCELAIN TILES



NO REFLECTION

Sensitech

- INDEX 
- INSPIRATION 
- IMAGE GALLERY 
- SURFACE RANGE & TECHNICAL SPECS 
- ENJOY THE VIDEO 

TEXTURES THAT AMPLIFY
THE BEAUTY OF MARBLE.



Reliefs on veins
Sky Stone | Wall Tiles 50x120 Field

INDEX



INSPIRATION



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



Field surface

Shiny effects on veins



Ice Crystal, White Everest, Taj Mahal | Wall Tiles 50x120 Field

INDEX



3D Crease surface

Matte 3D texture



Ice Crystal, White Everest | Wall Tiles 50x120

INSPIRATION



IMAGE GALLERY



SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO



Image Gallery

↔ Kitchen - Baobab - Baobab



↔ Hotel Lobby - Ice Crystal



↔ Luxury Store - Sky Stone



↔ Suite Bedroom with Bathroom
White Everest



↔ Livingroom
Precious Brown | Taj Mahal



↔ Bathroom - Taj Mahal



↔ Livingroom And Kitchen
Precious Brown | Taj Mahal



↔ Kitchen - Black Tempest



↔ Bar - Galaxy



↔ Spa - Aqua



↔ Bathroom - Amethyst



INDEX



INSPIRATION



IMAGE GALLERY



- KITCHEN - BAOBAB
- HOTEL LOBBY - ICE CRYSTAL
- LUXURY STORE - SKY STONE
- SUITE BEDROOM WITH BATHROOM - WHITE EVEREST
- LIVINGROOM - PRECIOUS BROWN | TAJ MAHAL
- BATHROOM - TAJ MAHAL
- LIVINGROOM AND KITCHEN - PRECIOUS BROWN | TAJ MAHAL
- KITCHEN - BLACK TEMPEST
- BAR - GALAXY
- SPA - AQUA
- BATHROOM - AMETHYST

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO





INDEX



INSPIRATION



IMAGE GALLERY



- KITCHEN - BAOBAB
- HOTEL LOBBY - ICE CRYSTAL
- LUXURY STORE - SKY STONE
- SUITE BEDROOM WITH BATHROOM - WHITE EVEREST
- LIVINGROOM - PRECIOUS BROWN | TAJ MAHAL
- BATHROOM - TAJ MAHAL
- LIVINGROOM AND KITCHEN - PRECIOUS BROWN | TAJ MAHAL
- KITCHEN - BLACK TEMPEST
- BAR - GALAXY
- SPA - AQUA
- BATHROOM - AMETHYST

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO



BAOBAB
EXPRESSIVE COLORS.



FLOOR
 Atlas Plan
 Boost Balance Ash
 Matte
 160x320 cm | 63"x126"

COUNTERTOP | FURNITURE
 Atlas Plan
 Baobab
 Polished
 162x324 cm | 63³/₄"x127¹/₂"

INDEX



INSPIRATION



IMAGE GALLERY



- KITCHEN - BAOBAB
- HOTEL LOBBY - ICE CRYSTAL
- LUXURY STORE - SKY STONE
- SUITE BEDROOM WITH BATHROOM - WHITE EVEREST
- LIVINGROOM - PRECIOUS BROWN | TAJ MAHAL
- BATHROOM - TAJ MAHAL
- LIVINGROOM AND KITCHEN - PRECIOUS BROWN | TAJ MAHAL
- KITCHEN - BLACK TEMPEST
- BAR - GALAXY
- SPA - AQUA
- BATHROOM - AMETHYST

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO





^
 FLOOR
Atlas Plan
Boost Balance Ash
 Matte
 160x320 cm | 63"x126"

COUNTERTOP | FURNITURE
Atlas Plan
Baobab
 Polished
 162x324 cm | 63³/₄"x127¹/₂"

<
 FLOOR
Atlas Plan
Boost Balance Ash
 Matte
 160x320 cm | 63"x126"

WALL
Atlas Plan
Baobab
 Polished
 160x320 cm | 63"x126"

Marvel Diva
Baobab Mosaico Hex
 Polished
 40,3x23,3 cm - 15⁷/₈"x9¹/₈"

DINING TABLE | **INCONTRO 75**
Atlas Concorde Habitat
Boost Smoke
 Matte
 100x180 cm | 39³/₈"x70⁷/₈"

INDEX



INSPIRATION



IMAGE
GALLERY



KITCHEN - BAOBAB
 HOTEL LOBBY - ICE CRYSTAL
 LUXURY STORE - SKY STONE
 SUITE BEDROOM WITH
 BATHROOM - WHITE EVEREST
 LIVINGROOM - PRECIOUS
 BROWN | TAJ MAHAL
 BATHROOM - TAJ MAHAL
 LIVINGROOM AND KITCHEN -
 PRECIOUS BROWN | TAJ MAHAL
 KITCHEN - BLACK TEMPEST
 BAR - GALAXY
 SPA - AQUA
 BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





INDEX



INSPIRATION



IMAGE GALLERY



- KITCHEN - BAOBAB
- HOTEL LOBBY - ICE CRYSTAL
- LUXURY STORE - SKY STONE
- SUITE BEDROOM WITH BATHROOM - WHITE EVEREST
- LIVINGROOM - PRECIOUS BROWN | TAJ MAHAL
- BATHROOM - TAJ MAHAL
- LIVINGROOM AND KITCHEN - PRECIOUS BROWN | TAJ MAHAL
- KITCHEN - BLACK TEMPEST
- BAR - GALAXY
- SPA - AQUA
- BATHROOM - AMETHYST

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO



ICE CRYSTAL

RAREST PURITY.



FLOOR Marvel Diva Ice Crystal Polished 120x240 cm 47 1/4"x94 1/2"	STAIRS Boost Balance Ash Matte Sensitech 120x120 cm 47 1/4"x47 1/4"	WALL Marvel Diva Ice Crystal Polished 120x278 cm 47 1/4"x109 1/2"
--	--	--

INDEX



INSPIRATION



IMAGE GALLERY



- KITCHEN - BAOBAB
- HOTEL LOBBY - ICE CRYSTAL
- LUXURY STORE - SKY STONE
- SUITE BEDROOM WITH BATHROOM - WHITE EVEREST
- LIVINGROOM - PRECIOUS BROWN | TAJ MAHAL
- BATHROOM - TAJ MAHAL
- LIVINGROOM AND KITCHEN - PRECIOUS BROWN | TAJ MAHAL
- KITCHEN - BLACK TEMPEST
- BAR - GALAXY
- SPA - AQUA
- BATHROOM - AMETHYST

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO





- ^
- FLOOR
**Marvel Diva
Ice Crystal**
Polished
120x240 cm | 47¹/₄"x94¹/₂"
- STAIRS
**Boost Balance
Ash**
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"
- WALL
**Marvel Diva
Ice Crystal**
Polished
120x278 cm | 47¹/₄"x109¹/₂"
- <
- FLOOR
**Marvel Diva
Ice Crystal**
Polished
120x240 cm | 47¹/₄"x94¹/₂"
- WALL
**Atlas Plan
Ice Crystal Bookmatch**
Polished
160x320 cm | 63"x126"
- DESK
**Atlas Plan
Ice Crystal**
Polished
162x324 cm | 63³/₄"x127¹/₂"

INDEX



INSPIRATION



IMAGE
GALLERY



KITCHEN - BAOBAB
HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE
SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST
LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL
BATHROOM - TAJ MAHAL
LIVINGROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL
KITCHEN - BLACK TEMPEST
BAR - GALAXY
SPA - AQUA
BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





INDEX



INSPIRATION



IMAGE GALLERY



- KITCHEN - BAOBAB
- HOTEL LOBBY - ICE CRYSTAL
- LUXURY STORE - SKY STONE
- SUITE BEDROOM WITH BATHROOM - WHITE EVEREST
- LIVINGROOM - PRECIOUS BROWN | TAJ MAHAL
- BATHROOM - TAJ MAHAL
- LIVINGROOM AND KITCHEN - PRECIOUS BROWN | TAJ MAHAL
- KITCHEN - BLACK TEMPEST
- BAR - GALAXY
- SPA - AQUA
- BATHROOM - AMETHYST

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO



SKY STONE

LIMITLESS HORIZON.



FLOOR	WALL	DESK
Boost Balance	Marvel Diva	Atlas Plan
Ash	Sky Stone	Sky Stone
Matte Sensitech	Silk	Silk
120x120 cm 47 ¹ / ₄ "x47 ¹ / ₄ "	120x278 cm 47 ¹ / ₄ "x109 ¹ / ₂ "	162x324 cm 63 ³ / ₄ "x127 ¹ / ₂ "

INDEX



INSPIRATION



IMAGE GALLERY



KITCHEN - BAOBAB
HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE
SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST
LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL
BATHROOM - TAJ MAHAL
LIVINGROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL
KITCHEN - BLACK TEMPEST
BAR - GALAXY
SPA - AQUA
BATHROOM - AMETHYST

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO





<p>FLOOR Boost Balance Ash Matte Sensitech 120x120 cm 47¹/₄"x47¹/₄"</p>	<p>WALL Marvel Diva Sky Stone Silk 120x278 cm 47¹/₄"x109¹/₂"</p>	<p>Marvel Diva Sky Stone Mosaico Grid Velvet Velvetech 59,5x118,2 cm 23³/₈"x46¹/₂"</p>
--	---	---



INDEX



INSPIRATION



IMAGE
GALLERY



KITCHEN - BAOBAB
 HOTEL LOBBY - ICE CRYSTAL
 LUXURY STORE - SKY STONE
 SUITE BEDROOM WITH
 BATHROOM - WHITE EVEREST
 LIVINGROOM - PRECIOUS
 BROWN | TAJ MAHAL
 BATHROOM - TAJ MAHAL
 LIVINGROOM AND KITCHEN -
 PRECIOUS BROWN | TAJ MAHAL
 KITCHEN - BLACK TEMPEST
 BAR - GALAXY
 SPA - AQUA
 BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR
Boost Balance
 Ash
 Matte Sensitech
 120x120 cm | 47¹/₄"x47¹/₄"

WALL
Marvel Diva
 Sky Stone Field
 Matte
 50x120 cm | 47¹/₄"x19⁵/₈"

INDEX



INSPIRATION



IMAGE GALLERY



- KITCHEN - BAOBAB
- HOTEL LOBBY - ICE CRYSTAL
- LUXURY STORE - SKY STONE
- SUITE BEDROOM WITH BATHROOM - WHITE EVEREST
- LIVINGROOM - PRECIOUS BROWN | TAJ MAHAL
- BATHROOM - TAJ MAHAL
- LIVINGROOM AND KITCHEN - PRECIOUS BROWN | TAJ MAHAL
- KITCHEN - BLACK TEMPEST
- BAR - GALAXY
- SPA - AQUA
- BATHROOM - AMETHYST

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO





INDEX



INSPIRATION



IMAGE GALLERY



- KITCHEN - BAOBAB
- HOTEL LOBBY - ICE CRYSTAL
- LUXURY STORE - SKY STONE
- SUITE BEDROOM WITH BATHROOM - WHITE EVEREST
- LIVINGROOM - PRECIOUS BROWN | TAJ MAHAL
- BATHROOM - TAJ MAHAL
- LIVINGROOM AND KITCHEN - PRECIOUS BROWN | TAJ MAHAL
- KITCHEN - BLACK TEMPEST
- BAR - GALAXY
- SPA - AQUA
- BATHROOM - AMETHYST

SURFACE RANGE & TECHNICAL SPECS




ENJOY THE VIDEO



WHITE EVEREST

ENDURING ATTITUDE.



FLOOR
Boost Balance
Pearl
Matte Sensitech
120x120 cm | 47 1/4" x 47 1/4"

WALL
Marvel Diva
White Everest
Silk
120x278 cm | 47 1/4" x 109 1/2"

OUTDOOR FLOOR
Boost Balance
Pearl
Outdoor Sensitech ✕ 20mm
120x120 cm | 47 1/4" x 47 1/4"

OUTDOOR WALL
Boost Balance
Pearl
Matte
120x278 cm | 47 1/4" x 109 1/2"

INDEX



INSPIRATION



IMAGE
GALLERY



KITCHEN - BAOBAB
HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE
SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST
LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL
BATHROOM - TAJ MAHAL
LIVINGROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL
KITCHEN - BLACK TEMPEST
BAR - GALAXY
SPA - AQUA
BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





^
WALL
Marvel Diva
White Everest Field
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

<
FLOOR
Marvel Diva
White Everest
Velvet Velvetech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Marvel Diva
White Everest 3D Crease
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

INDEX



INSPIRATION



IMAGE GALLERY



- KITCHEN - BAOBAB
- HOTEL LOBBY - ICE CRYSTAL
- LUXURY STORE - SKY STONE
- SUITE BEDROOM WITH
- BATHROOM - WHITE EVEREST
- LIVINGROOM - PRECIOUS
- BROWN | TAJ MAHAL
- BATHROOM - TAJ MAHAL
- LIVINGROOM AND KITCHEN -
- PRECIOUS BROWN | TAJ MAHAL
- KITCHEN - BLACK TEMPEST
- BAR - GALAXY
- SPA - AQUA
- BATHROOM - AMETHYST

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO





INDEX



INSPIRATION



IMAGE GALLERY



- KITCHEN - BAOBAB
- HOTEL LOBBY - ICE CRYSTAL
- LUXURY STORE - SKY STONE
- SUITE BEDROOM WITH BATHROOM - WHITE EVEREST
- LIVINGROOM - PRECIOUS BROWN | TAJ MAHAL
- BATHROOM - TAJ MAHAL
- LIVINGROOM AND KITCHEN - PRECIOUS BROWN | TAJ MAHAL
- KITCHEN - BLACK TEMPEST
- BAR - GALAXY
- SPA - AQUA
- BATHROOM - AMETHYST

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO



TAJ MAHAL
MEET THE ETERNITY.



FLOOR
Marvel Diva
Taj Mahal
 Velvet Velvetch
 120x120 cm | 47¹/₄"x47¹/₄"

WALL
Marvel Diva
Taj Mahal
 Silk
 120x278 cm | 47¹/₄"x109¹/₂"

Marvel Diva
Precious Brown
 Silk
 120x278 cm | 47¹/₄"x109¹/₂"

FIREPLACE DECOR
Marvel Diva
Taj Mahal Mosaico Grid
 Velvet Velvetch
 59,5x118,2 cm | 23³/₈"x46¹/₂"

INDEX



INSPIRATION



IMAGE GALLERY



- KITCHEN - BAOBAB
- HOTEL LOBBY - ICE CRYSTAL
- LUXURY STORE - SKY STONE
- SUITE BEDROOM WITH
- BATHROOM - WHITE EVEREST
- LIVINGROOM - PRECIOUS
- BROWN | TAJ MAHAL
- BATHROOM - TAJ MAHAL
- LIVINGROOM AND KITCHEN -
- PRECIOUS BROWN | TAJ MAHAL
- KITCHEN - BLACK TEMPEST
- BAR - GALAXY
- SPA - AQUA
- BATHROOM - AMETHYST

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO





FLOOR
Marvel Diva
Taj Mahal
 Velvet Velvtech
 120x120 cm | 47¹/₄"x47¹/₄"

FIREPLACE DECOR
Marvel Diva
Taj Mahal Mosaico Grid
 Velvet Velvtech
 59,5x118,2 cm | 23³/₈"x46¹/₂"

INDEX



INSPIRATION



IMAGE GALLERY



- KITCHEN - BAOBAB
- HOTEL LOBBY - ICE CRYSTAL
- LUXURY STORE - SKY STONE
- SUITE BEDROOM WITH BATHROOM - WHITE EVEREST
- LIVINGROOM - PRECIOUS BROWN | TAJ MAHAL
- BATHROOM - TAJ MAHAL
- LIVINGROOM AND KITCHEN - PRECIOUS BROWN | TAJ MAHAL
- KITCHEN - BLACK TEMPEST
- BAR - GALAXY
- SPA - AQUA
- BATHROOM - AMETHYST

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO





FLOOR
Marvel Diva
Taj Mahal
Velvet Velvtech
120x120 cm | 47¹/₄"x47¹/₄"

SHOWER FLOOR
Log
Icon Oak Forest
Grip Sensitech
20x120 cm | 7⁷/₈"x47¹/₄"

WALL
Marvel Diva
Taj Mahal Field
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

SHOWER DECOR
Marvel Diva
Taj Mahal Mosaico Grid
Velvet Velvtech
59,5x118,2 cm | 23³/₈"x46¹/₂"

SINKS | EVOLUZIONE - BLOCK
Atlas Concorde Habitat
Marvel Diva Precious Brown Silk
Biscuit Grey Basin
85x45 cm | 33¹/₂"x17³/₄"

INDEX



INSPIRATION



IMAGE
GALLERY



KITCHEN - BAOBAB
HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE
SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST
LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL
BATHROOM - TAJ MAHAL
LIVINGROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL
KITCHEN - BLACK TEMPEST
BAR - GALAXY
SPA - AQUA
BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





^
WALL
Marvel Diva
Taj Mahal Field
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

<
FLOOR
Marvel Diva
Taj Mahal
Velvet Velvtech
120x120 cm | 47¹/₄"x47¹/₄"

SHOWER FLOOR
Log
Icon Oak Forest
Grip Sensitech
20x120 cm | 7⁷/₈"x47¹/₄"

SHOWER DECOR
Marvel Diva
Taj Mahal Mosaico Grid
Velvet Velvtech
59,5x118,2 cm | 23³/₈"x46¹/₂"

INDEX



INSPIRATION



IMAGE GALLERY



KITCHEN - BAOBAB
HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE
SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST
LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL
BATHROOM - TAJ MAHAL
LIVINGROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL
KITCHEN - BLACK TEMPEST
BAR - GALAXY
SPA - AQUA
BATHROOM - AMETHYST

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO





INDEX



INSPIRATION



IMAGE GALLERY



- KITCHEN - BAOBAB
- HOTEL LOBBY - ICE CRYSTAL
- LUXURY STORE - SKY STONE
- SUITE BEDROOM WITH BATHROOM - WHITE EVEREST
- LIVINGROOM - PRECIOUS BROWN | TAJ MAHAL
- BATHROOM - TAJ MAHAL
- LIVINGROOM AND KITCHEN - PRECIOUS BROWN | TAJ MAHAL
- KITCHEN - BLACK TEMPEST
- BAR - GALAXY
- SPA - AQUA
- BATHROOM - AMETHYST

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO



PRECIOUS BROWN

WARM EXPLOSION.



^
WALL
Marvel Diva
Precious Brown
Silk
120x278 cm | 47¹/₄"x109¹/₂"

COFFEE TABLE | **BROOKLYN 25**
Atlas Concorde Habitat
Marvel Diva Precious Brown
Silk
60x90 cm | 23⁵/₈"x35³/₈"

>
FLOOR
Atlas Plan
Boost Balance Ash
Matte
160x320 cm | 63"x126"

WALL
Atlas Plan
Marvel Diva Taj Mahal
Silk
160x320 cm | 63"x126"

Atlas Plan
Precious Brown
Silk
160x320 cm | 63"x126"

COUNTERTOP | FURNITURE
Atlas Plan
Taj Mahal
Silk
162x324 cm | 63³/₄"x127¹/₂"

DINING TABLE | **INCONTRO 75**
Atlas Concorde Habitat
Precious Brown
Silk
100x180 cm | 39³/₈"x70⁷/₈"



INDEX



INSPIRATION



IMAGE
GALLERY



KITCHEN - BAOBAB
HOTEL LOBBY - ICE CRYSTAL
LUXURY STORE - SKY STONE
SUITE BEDROOM WITH
BATHROOM - WHITE EVEREST
LIVINGROOM - PRECIOUS
BROWN | TAJ MAHAL
BATHROOM - TAJ MAHAL
LIVINGROOM AND KITCHEN -
PRECIOUS BROWN | TAJ MAHAL
KITCHEN - BLACK TEMPEST
BAR - GALAXY
SPA - AQUA
BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





BLACK TEMPEST

NUANCES OF DARKNESS.

INDEX



INSPIRATION



IMAGE GALLERY



- KITCHEN - BAOBAB
- HOTEL LOBBY - ICE CRYSTAL
- LUXURY STORE - SKY STONE
- SUITE BEDROOM WITH BATHROOM - WHITE EVEREST
- LIVINGROOM - PRECIOUS BROWN | TAJ MAHAL
- BATHROOM - TAJ MAHAL
- LIVINGROOM AND KITCHEN - PRECIOUS BROWN | TAJ MAHAL
- KITCHEN - BLACK TEMPEST
- BAR - GALAXY
- SPA - AQUA
- BATHROOM - AMETHYST

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO





FLOOR
Boost Balance
Smoke
 Matte Sensitech
 120x120 cm | 47 1/4" x 47 1/4"

WALL
Marvel Diva
Black Tempest
 Silk
 120x278 cm | 47 1/4" x 109 1/2"

BACKSPLASH
Marvel Diva
Black Tempest Mosaico Chevron
 Velvet Velvetch
 17,5x46,3 cm | 6 7/8" x 18 1/4"

COUNTERTOP | FURNITURE
Atlas Plan
Black Tempest
 Silk
 162x324 cm | 63 3/4" x 127 1/2"

Atlas Plan
Noce Canaletto
 Matte
 160x320 cm | 63" x 126"

INDEX



INSPIRATION



IMAGE
 GALLERY



KITCHEN - BAOBAB
 HOTEL LOBBY - ICE CRYSTAL
 LUXURY STORE - SKY STONE
 SUITE BEDROOM WITH
 BATHROOM - WHITE EVEREST
 LIVINGROOM - PRECIOUS
 BROWN | TAJ MAHAL
 BATHROOM - TAJ MAHAL
 LIVINGROOM AND KITCHEN -
 PRECIOUS BROWN | TAJ MAHAL
 KITCHEN - BLACK TEMPEST
 BAR - GALAXY
 SPA - AQUA
 BATHROOM - AMETHYST

SURFACE
 RANGE &
 TECHNICAL
 SPECS



ENJOY
 THE VIDEO





^
 BACKSPLASH
Marvel Diva
Black Tempest Mosaico Chevron
 Velvet Velvetch
 17,5x46,3 cm | 6⁷/₈"x18¹/₄"

>

FLOOR	COUNTERTOP FURNITURE	
Boost Balance	Atlas Plan	Atlas Plan
Smoke	Black Tempest	Noce Canaletto
Matte Sensitech	Silk	Matte
120x120 cm 47 ¹ / ₄ "x47 ¹ / ₄ "	162x324 cm 63 ³ / ₄ "x127 ¹ / ₂ "	160x320 cm 63"x126"



INDEX



INSPIRATION



IMAGE GALLERY



- KITCHEN - BAOBAB
- HOTEL LOBBY - ICE CRYSTAL
- LUXURY STORE - SKY STONE
- SUITE BEDROOM WITH BATHROOM - WHITE EVEREST
- LIVINGROOM - PRECIOUS BROWN | TAJ MAHAL
- BATHROOM - TAJ MAHAL
- LIVINGROOM AND KITCHEN - PRECIOUS BROWN | TAJ MAHAL
- KITCHEN - BLACK TEMPEST
- BAR - GALAXY
- SPA - AQUA
- BATHROOM - AMETHYST

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO





INDEX



INSPIRATION



IMAGE GALLERY



KITCHEN - BAOBAB
 HOTEL LOBBY - ICE CRYSTAL
 LUXURY STORE - SKY STONE
 SUITE BEDROOM WITH
 BATHROOM - WHITE EVEREST
 LIVINGROOM - PRECIOUS
 BROWN | TAJ MAHAL
 BATHROOM - TAJ MAHAL
 LIVINGROOM AND KITCHEN -
 PRECIOUS BROWN | TAJ MAHAL
 KITCHEN - BLACK TEMPEST

BAR - GALAXY
 SPA - AQUA
 BATHROOM - AMETHYST

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO



GALAXY
 COSMIC DETAILS.



FLOOR
Boost Balance
Grey
Matte Sensitech
120x120 cm | 47 1/4" x 47 1/4"

WALL
Marvel Diva
Galaxy
Polished
120x278 cm | 47 1/4" x 109 1/2"

FURNITURE
Marvel Diva
Galaxy
Polished
120x278 cm | 47 1/4" x 109 1/2"

INDEX



INSPIRATION



IMAGE GALLERY



- KITCHEN - BAOBAB
- HOTEL LOBBY - ICE CRYSTAL
- LUXURY STORE - SKY STONE
- SUITE BEDROOM WITH BATHROOM - WHITE EVEREST
- LIVINGROOM - PRECIOUS BROWN | TAJ MAHAL
- BATHROOM - TAJ MAHAL
- LIVINGROOM AND KITCHEN - PRECIOUS BROWN | TAJ MAHAL
- KITCHEN - BLACK TEMPEST
- BAR - GALAXY
- SPA - AQUA
- BATHROOM - AMETHYST

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO





FLOOR
Boost Balance
 Grey
 Matte Sensitech
 120x120 cm | 47¹/₄"x47¹/₄"

WALL
Marvel Diva
 Galaxy
 Polished
 120x278 cm | 47¹/₄"x109¹/₂"

FURNITURE
Marvel Diva
 Galaxy
 Polished
 120x278 cm | 47¹/₄"x109¹/₂"

INDEX



INSPIRATION



IMAGE
 GALLERY



KITCHEN - BAOBAB
 HOTEL LOBBY - ICE CRYSTAL
 LUXURY STORE - SKY STONE
 SUITE BEDROOM WITH
 BATHROOM - WHITE EVEREST
 LIVINGROOM - PRECIOUS
 BROWN | TAJ MAHAL
 BATHROOM - TAJ MAHAL
 LIVINGROOM AND KITCHEN -
 PRECIOUS BROWN | TAJ MAHAL
 KITCHEN - BLACK TEMPEST
 BAR - GALAXY
 SPA - AQUA
 BATHROOM - AMETHYST

SURFACE
 RANGE &
 TECHNICAL
 SPECS



ENJOY
 THE VIDEO



INDEX



INSPIRATION



IMAGE GALLERY



KITCHEN - BAOBAB
 HOTEL LOBBY - ICE CRYSTAL
 LUXURY STORE - SKY STONE
 SUITE BEDROOM WITH
 BATHROOM - WHITE EVEREST
 LIVINGROOM - PRECIOUS
 BROWN | TAJ MAHAL
 BATHROOM - TAJ MAHAL
 LIVINGROOM AND KITCHEN -
 PRECIOUS BROWN | TAJ MAHAL
 KITCHEN - BLACK TEMPEST
 BAR - GALAXY
 SPA - AQUA
 BATHROOM - AMETHYST

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO



AQUA
 REFLECTION OF NATURE.



FLOOR
 Marvel Shine
 Calcatta Delicato
 Matte Sensitech
 120x120 cm | 47¹/₄"x47¹/₄"

WALL
 Marvel Diva
 Aqua
 Polished
 120x278 cm | 47¹/₄"x109¹/₂"

FURNITURE
 Marvel Diva
 Aqua
 Polished
 120x278 cm | 47¹/₄"x109¹/₂"

INDEX



INSPIRATION



IMAGE GALLERY



KITCHEN - BAOBAB
 HOTEL LOBBY - ICE CRYSTAL
 LUXURY STORE - SKY STONE
 SUITE BEDROOM WITH
 BATHROOM - WHITE EVEREST
 LIVINGROOM - PRECIOUS
 BROWN | TAJ MAHAL
 BATHROOM - TAJ MAHAL
 LIVINGROOM AND KITCHEN -
 PRECIOUS BROWN | TAJ MAHAL
 KITCHEN - BLACK TEMPEST
 BAR - GALAXY
 SPA - AQUA
 BATHROOM - AMETHYST

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO





FLOOR
Marvel Shine
Calcatta Delicato
 Matte Sensitech
 120x120 cm | 47¹/₄"x47¹/₄"

WALL
Marvel Diva
Aqua
 Polished
 120x278 cm | 47¹/₄"x109¹/₂"

Marvel Diva
Aqua Mosaico Triangle
 Polished
 28,9x33,4 cm | 11³/₈"x13¹/₈"

TOP | EVOLUZIONE - DUO
Atlas Concorde Habitat
Marvel Diva Aqua Polished
Rectangular Grey Basin
 240x45x12 cm | 94¹/₂"x17³/₄"x4³/₄"

SHELF | ESSENZA - THIN
Atlas Concorde Habitat
Marvel Diva Aqua
 Polished
 240x35x5 cm | 94¹/₂"x13³/₄"x2"

SIDE TABLE | CONTATTO
Atlas Concorde Habitat
Black Lava
 Leathered
 ø 45 cm | 17³/₄"



INDEX



INSPIRATION



IMAGE
GALLERY



KITCHEN - BAOBAB
 HOTEL LOBBY - ICE CRYSTAL
 LUXURY STORE - SKY STONE
 SUITE BEDROOM WITH
 BATHROOM - WHITE EVEREST
 LIVINGROOM - PRECIOUS
 BROWN | TAJ MAHAL
 BATHROOM - TAJ MAHAL
 LIVINGROOM AND KITCHEN -
 PRECIOUS BROWN | TAJ MAHAL
 KITCHEN - BLACK TEMPEST
 BAR - GALAXY
 SPA - AQUA
 BATHROOM - AMETHYST

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





INDEX



INSPIRATION



IMAGE GALLERY



KITCHEN - BAOBAB
 HOTEL LOBBY - ICE CRYSTAL
 LUXURY STORE - SKY STONE
 SUITE BEDROOM WITH
 BATHROOM - WHITE EVEREST
 LIVINGROOM - PRECIOUS
 BROWN | TAJ MAHAL
 BATHROOM - TAJ MAHAL
 LIVINGROOM AND KITCHEN -
 PRECIOUS BROWN | TAJ MAHAL
 KITCHEN - BLACK TEMPEST
 BAR - GALAXY
 SPA - AQUA
 BATHROOM - AMETHYST

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO



AMETHYST
 PRECIOUS ESSENCE.



FLOOR
Boost Natural
 Kaolin
 Matte Sensitech
 120x120 cm | 47¹/₄"x47¹/₄"

WALL
Marvel Diva
 Amethyst
 120x278 cm | 47¹/₄"x109¹/₂"

Marvel Diva
 Amethyst Mosaico Twist
 Polished
 27,6x35 cm | 10⁷/₈"x13³/₄"

VANITY UNIT | **ARMONIA**
 Atlas Concorde Habitat
Marvel Diva Amethyst
 Polished
 240x50x53 cm - 90¹/₂"x19⁵/₈"x20⁷/₈"

INDEX



INSPIRATION



IMAGE GALLERY



- KITCHEN - BAOBAB
- HOTEL LOBBY - ICE CRYSTAL
- LUXURY STORE - SKY STONE
- SUITE BEDROOM WITH BATHROOM - WHITE EVEREST
- LIVINGROOM - PRECIOUS BROWN | TAJ MAHAL
- BATHROOM - TAJ MAHAL
- LIVINGROOM AND KITCHEN - PRECIOUS BROWN | TAJ MAHAL
- KITCHEN - BLACK TEMPEST
- BAR - GALAXY
- SPA - AQUA
- BATHROOM - AMETHYST

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO





^
FLOOR
Boost Natural Kaolin
 Matte Sensitech
 120x120 cm | 47¹/₄"x47¹/₄"

WALL
Marvel Diva Amethyst
 Polished
 120x278 cm | 47¹/₄"x109¹/₂"

<
FLOOR
Boost Natural Kaolin
 Matte Sensitech
 120x120 cm | 47¹/₄"x47¹/₄"

WALL
Marvel Diva Amethyst Mosaico Twist
 Polished
 27,6x35 cm | 10⁷/₈"x13³/₄"

VANITY UNIT | ARMONIA
Atlas Concorde Habitat Marvel Diva Amethyst
 Polished
 240x50x53 cm - 90¹/₂"x19⁵/₈"x20⁷/₈"

INDEX



INSPIRATION



IMAGE GALLERY



KITCHEN - BAOBAB
 HOTEL LOBBY - ICE CRYSTAL
 LUXURY STORE - SKY STONE
 SUITE BEDROOM WITH
 BATHROOM - WHITE EVEREST
 LIVINGROOM - PRECIOUS
 BROWN | TAJ MAHAL
 BATHROOM - TAJ MAHAL
 LIVINGROOM AND KITCHEN -
 PRECIOUS BROWN | TAJ MAHAL
 KITCHEN - BLACK TEMPEST
 BAR - GALAXY
 SPA - AQUA
 BATHROOM - AMETHYST

SURFACE RANGE & TECHNICAL SPECS



ENJOY THE VIDEO





SURFACE RANGE & TECHNICAL SPECIFICATIONS

- ◇ MARVEL DIVA RANGE
- ◇ SENSITECH & VELVETECH TECHNOLOGY
- ◇ TECHNICAL SPECIFICATIONS
- ◇ MARVEL WORLD



Porcelain tiles - Rectified monocaliber

Gres porcellanato - Rettificato monocalibro

Compliant with standards EN 14411 annex G group B1a
 Compliant with standards ISO 13006 annex G group B1a
 Conforme alla norma EN 14411 Appendice G gruppo B1a
 Conforme alla norma ISO 13006 Appendice G gruppo B1a

160x320 cm - 63"x126" ± 6 mm
 120x278 cm - 47 1/8"x109 1/2" ± 6 mm
 120x240 cm - 47 1/8"x94 1/2" ± 9 mm
 120x120 cm - 47 1/8"x47 1/8" ± 9 mm
 60x120 cm - 23 3/8"x47 1/8" ± 9 mm

Technical features Caratteristiche tecniche	Test Method Metodo di prova	Requirements for nominal size N / Requisiti per dimensione nominale N			Porcelain tiles				
		7 cm ≤ N < 15 cm (mm)	(%)	N ≥ 15 cm (mm)	Silk ± 6 mm	Polished ± 6 mm	Polished ± 9 mm	Velvet Velvetech ± 9 mm	Matte Sensitech ± 9 mm
Length and width Lunghezza e larghezza	ISO 10545-2	± 0.9 (*) Non-rect. ± 0.4 (*) Rect.	± 0.6 (*) Non-rect. ± 0.3 (*) Rect.	± 2.0 (*) Non-rect. ± 1.0 (*) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Thickness Spessore		± 0.5 (**)	± 0.5 (**)	± 0.5 (**)	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Straightness of sides Rettilinearità degli spigoli		± 0.8 (***) Non-rect. ± 0.4 (***) Rect.	± 0.5 (***) Non-rect. ± 0.3 (***) Rect.	± 1.5 (***) Non-rect. ± 0.8 (***) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Rectangularity (Measurement only on short edges when L/l ≥ 3) Ortogonalità (Misurazione da condurre solo sui lati corti quando L/l ≥ 3)	ISO 10545-2	± 0.8 (****) Non-rect. ± 0.4 (****) Rect.	± 0.5 (****) Non-rect. ± 0.3 (****) Rect.	± 2.0 (****) Non-rect. ± 1.5 (****) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Surface flatness Planarità		c.c. ± 0.8 Non-rect. c.c. ± 0.6 Rect. e.c. ± 0.8 Non-rect. e.c. ± 0.6 Rect. w. ± 0.8 Non-rect. w. ± 0.6 Rect.	c.c. ± 0.5 Non-rect. c.c. ± 0.4 Rect. e.c. ± 0.5 Non-rect. e.c. ± 0.4 Rect. w. ± 0.5 Non-rect. w. ± 0.4 Rect.	c.c. ± 2.0 Non-rect. c.c. ± 1.8 Rect. e.c. ± 2.0 Non-rect. e.c. ± 1.8 Rect. w. ± 2.0 Non-rect. w. ± 1.8 Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
Water absorption (in% by mass) Massa d'acqua assorbita (come % della massa)		ISO 10545-3 ASTM C373	E _s ≤ 0.5% Individual Maximum 0.6% E _s ≤ 0.5% Valore massimo singolo 0,6%			≤ 0.1 %	≤ 0.1 %	≤ 0.1 %	≤ 0.1 %
Breaking strength Sforzo di rottura	ISO 10545-4	S ≥ 700N (for thickness < 7.5 mm - per spessore < 7.5 mm) S ≥ 1300N (for thickness ≥ 7.5 mm - per spessore ≥ 7.5 mm)			S ≥ 1000 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 1500 N
Modulus of rupture Resistenza alla flessione	EN 1339 Annex F	R ≥ 35 N/mm ²			R ≥ 40 N/mm ²	R ≥ 40 N/mm ²	R ≥ 40 N/mm ²	R ≥ 40 N/mm ²	R ≥ 40 N/mm ²
Bending strength and breaking load Resistenza a flessione e al carico di rottura (4)(5)		-			-	-	-	-	-
Impact resistance, as coefficient of restitution Resistenza all'impatto, espresso come coefficiente di restituzione	ISO 10545-5	Declared value Valore dichiarato			≥ 0.55	≥ 0.55	≥ 0.55	≥ 0.55	≥ 0.55
Resistance to deep abrasion of unglazed tiles (removed volume) Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato)	ISO 10545-6	≤ 175 mm ³			≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³
Coefficient of thermal linear expansion Coefficiente di dilatazione termica lineare	ISO 10545-8	Declared value Valore dichiarato			≤ 7MK ⁻¹	≤ 7MK ⁻¹	≤ 7MK ⁻¹	≤ 7MK ⁻¹	≤ 7MK ⁻¹
Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste
Moisture expansion (in mm/m) Dilatazione all'umidità (in mm/m)	ISO 10545-10	Declared value Valore dichiarato			≤ 0.01% (0,1mm/m)	≤ 0.01% (0,1mm/m)	≤ 0.01% (0,1mm/m)	≤ 0.01% (0,1mm/m)	≤ 0.01% (0,1mm/m)
Frost resistance Resistenza al gelo	ISO 10545-12	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste
Bond strenght /adhesion for Cementitious Adhesives Adesione mediante trazione su adesivi cementizi	EN 12004-2	Declared value Valore dichiarato			≥ 1.0 N/mm ² (Class C2 - EN 12004)	≥ 1.0 N/mm ² (Class C2 - EN 12004)	≥ 1.0 N/mm ² (Class C2 - EN 12004)	≥ 1.0 N/mm ² (Class C2 - EN 12004)	≥ 1.0 N/mm ² (Class C2 - EN 12004)
Reaction to fire Reazione al fuoco	-	Class A1 or A1 _s Classe A1 oppure A1 _s			A1 - A1 _s	A1 - A1 _s	A1 - A1 _s	A1 - A1 _s	A1 - A1 _s
Resistance to household chemicals and swimming pool salts Resistenza ai prodotti chimici di uso domestico e agli additivi per piscina	ISO 10545-13	Minimum Class B Classe minima B			A	A	A	A	A
Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali		Declared Class Classe dichiarata			LA	LA	LA	LA	LA
Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali		Declared Class Classe dichiarata			HA	-	-	-	HA
Resistance to staining, for unglazed tiles Resistenza alle macchie per piastrelle non smaltate	ISO 10545-14	Declared Class Classe dichiarata			5	5	5	5	5
Shood Ramp Test Metodo della rampa "calzato"	DIN EN 16165 ANNEX B (EX DIN 51130)	Declared value Valore dichiarato			N.C.	N.C.	N.C.	N.C.	R10
Barefoot Ramp Test Metodo della rampa a piedi nudi	DIN EN 16165 ANNEX A (EX DIN 51097)	Declared value Valore dichiarato			0	0	0	0	A+B
Pendulum Friction Test Metodo del Pendolo (1)(2)	BS EN 16165 ANNEX C (EX BS 7976)	PTV ≥ 36 classifies the surface as 'low slip risk'			≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 36 Wet
	AS 4586 UNE EN 16165 ANNEX C (EX UNE 41901 EX 2017)	Declared Classification of the new pedestrian surface materials according to the Pendulum Test			-	-	-	-	Class P3
Coefficient of friction (COF) Coefficiente di attrito	B.C.R.A. Rep. CEC/81	D. M. 236/89 del 14/06/89 μ > 0.40 per elemento scivolante cuoio su pavimentazione asciutta μ > 0.40 per elemento scivolante gomma dura su pavimentazione bagnata			> 0.40 Asciutto < 0.40 Bagnato	> 0.40 Asciutto < 0.40 Bagnato	> 0.40 Asciutto < 0.40 Bagnato	> 0.40 Asciutto < 0.40 Bagnato	> 0.40 Asciutto > 0.40 Bagnato
Dynamic coefficient of friction (DCOF) Coefficiente di attrito dinamico	ANSI A 326.3	-			dry DCOF ≥ 0.42	dry DCOF ≥ 0.42	dry DCOF ≥ 0.42	wet DCOF ≥ 0.42	wet DCOF ≥ 0.50

(*) The permissible deviation, in % or mm, of the average size for each tile (2 or 4 sides) from work size (WS). Deviazione ammissibile, in % oppure mm, della dimensione media di ogni piastrella (2 oppure 4 lati) dalla dimensione di fabbricazione (WS).
 (**) The permissible deviation, in % or mm, of the average thickness for each tile from the work size thickness (WS). Deviazione ammissibile, in % oppure mm, della spessore medio di ogni piastrella dallo spessore riportato nella dimensione di fabbricazione (WS).
 (***) The maximum permissible deviation from straightness, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile di rettilineità, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.
 (****) The maximum permissible deviation from rectangularity, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile di ortogonalità, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.
 c.c. The maximum permissible deviation from centre curvature, in % or mm, related to diagonal calculated from the work sizes (WS). Deviazione massima ammissibile della curvatura del centro, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).
 e.c. The maximum permissible deviation from edge curvature, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile della curvatura dello spigolo, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.
 w. The maximum permissible deviation from warpage, in % or mm, related to diagonal calculated from the work sizes (WS). Deviazione massima ammissibile dello sverglamento, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).
 (1) Determination of slip resistance of pedestrian surfaces; it does not cover sports surfaces and road surfaces for vehicles (skid resistance). Determinazione della resistenza allo scivolamento delle superfici pedonabili; non si applica alle pavimentazioni sportive ed alle pavimentazioni stradali veicolari.
 (2) Anti-slip performance is guaranteed at the time of delivery of the product. Le prestazioni anti-slip vengono garantite al momento della consegna del prodotto.
 (3) For further details, please refer to outdoor design general catalogue. Per maggiori informazioni riferirsi al catalogo generale Outdoor Design.
 (4) Only for products with 20 mm thickness. Solo per prodotti a 20mm di spessore.



Wall tiles - Rectified monocaliber

Rivestimento - Rettificato monocalibro

Compliant with standards EN 14411 annex L group B11
 Compliant with standards ISO 13006 annex L group B11
 Conforme alla norma EN 14411 Appendice L gruppo B11
 Conforme alla norma ISO 13006 Appendice L gruppo B11

50x120 cm - 19 3/8"x47 1/8" ± 8,5 mm

Technical features Caratteristiche tecniche	Test Method Metodo di prova	Requirements for nominal size N / Requisiti per dimensione nominale N			Wall tiles	
		7 cm ≤ N < 15 cm (mm)	(%)	N ≥ 15 cm (mm)		
Length and width Lunghezza e larghezza	ISO 10545-2	± 0.4 (*) Rect.	± 0.3 (*) Rect.	± 1.0 (*) Rect.	Suitable for Conforme	
Thickness Spessore		± 0.5 (**)	± 1.0 (**)	± 0.5 (**)		Suitable for Conforme
Straightness of sides Rettilinearità degli spigoli		± 0.4 (**) Rect.	± 0.3 (**) Rect.	± 0.8 (**) Rect.		Suitable for Conforme
Rectangularity (Measurement only on short edges when L/l ≥ 3) Ortogonalità (Misurazione da condurre solo sui lati corti quando L/l ≥ 3)	ISO 10545-2	± 0.4 (****) Rect.	± 0.3 (****) Rect.	± 1.5 (****) Rect.	Suitable for Conforme	
Surface flatness Planarità		c.c. ± 0.6 Rect.	c.c. ± 0.4 Rect.	c.c. ± 1.8 Rect.	Suitable for Conforme	
Water absorption (in% by mass) Massa d'acqua assorbita (come % della massa)		e.c. ± 0.6 Rect.	e.c. ± 0.4 Rect.	e.c. ± 1.8 Rect.		
Breaking strength Sforzo di rottura	ISO 10545-3	Average >10%. When the average > 20%, this shall be indicated. Individual value > 9% Media >10%. Se questo valore > 20%, deve essere indicato. Valore Singolo > 9%			10% < E _v ≤ 20%	
Modulus of rupture Resistenza alla flessione	ISO 10545-4	S ≥ 600 N			S ≥ 600 N	
Impact resistance Resistenza all'impatto		R ≥ 15 N/mm ²			R ≥ 15 N/mm ²	
Coefficient of thermal linear expansion Coefficiente di dilatazione termica lineare	ISO 10545-8	Declared value Valore dichiarato			≤ 7MK ⁻¹	
Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	
Moisture expansion (in mm/m) Dilatazione all'umidità (in mm/m)	ISO 10545-10	Declared value Valore dichiarato			≤ 0.06% (0,6mm/m)	
Crazing resistance Resistenza al cavillo	ISO 10545-11	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	
Bond strenght /adhesion for Cementitious Adhesives Adesione mediante trazione su adesivi cementizi	EN 12004-2	Declared value Valore dichiarato			≥ 1.0 N/mm ² (Class C2 - EN 12004)	
Reaction to fire Reazione al fuoco	-	Class A1 Classe A1			A1	
Resistance to household chemicals and swimming pool salts Resistenza ai prodotti chimici di uso domestico e agli additivi per piscina	ISO 10545-13	Minimum Class B Classe minima B			A	
Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali		Declared Class Classe dichiarata			LA	
Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali		Declared Class Classe dichiarata			HA	
Resistance to staining, for unglazed tiles Resistenza alle macchie per piastrelle non smaltate	ISO 10545-14	Minimum Class 3 Classe 3 minima			5	
Release of dangerous substances: Cadmium (in mg/dm²) and Lead (in mg/dm²) Rilascio di sostanze pericolose: Cadmio (in mg/dm ²) e Piombo (in mg/dm ²)	ISO 10545-15	Declared value Valore dichiarato			≤ 0.01 mg/dm ² Cd ≤ 0.1 mg/dm ² Pb	

(*) The permissible deviation, in % or mm, of the average size for each tile (2 or 4 sides) from work size (WS). Deviazione ammissibile, in % oppure mm, della dimensione media di ogni piastrella (2 oppure 4 lati) dalla dimensione di fabbricazione (WS).
 (**) The permissible deviation, in % or mm, of the average thickness for each tile from the work size thickness (WS). Deviazione ammissibile, in % oppure mm, della spessore medio di ogni piastrella dallo spessore riportato nella dimensione di fabbricazione (WS).
 (***) The maximum permissible deviation from straightness, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile di rettilineità, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.
 (****) The maximum permissible deviation from rectangularity, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile di ortogonalità, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.
 c.c. The maximum permissible deviation from centre curvature, in % or mm, related to diagonal calculated from the work sizes (WS). Deviazione massima ammissibile della curvatura del centro, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).
 e.c. The maximum permissible deviation from edge curvature, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile della curvatura dello spigolo, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.
 w. The maximum permissible deviation from warpage, in % or mm, related to diagonal calculated from the work sizes (WS). Deviazione massima ammissibile dello sverglamento, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).

INDEX




INSPIRATION



IMAGE GALLERY




SURFACE RANGE & TECHNICAL SPECS



MARVEL DIVA RANGE
 SENSITECH & VELVETECH
 TECHNOLOGY
 TECHNICAL SPECIFICATIONS
 MARVEL WORLD

ENJOY THE VIDEO






MARVELWORLD

A world of emotions

Marvel World encompasses all the marble-look surfaces of Atlas Concorde in a single tool capable of offering ample creative potential: a complete stylistic project for inspiration, color range, and availability of formats and decors.

Marvel World racchiude tutte le superfici effetto marmo di Atlas Concorde in un unico strumento in grado di offrire ampie potenzialità creative: un progetto stilistico completo per ispirazione, ampiezza cromatica e disponibilità di formati e decori.



DISCOVER
MARVEL WORLD

Ethical identity



For Atlas Concorde, being Made in Italy is not just a prestigious certification of style, design, and production excellence, but an identity that involves all aspects of its business. For this reason, we identify with the values expressed by Confindustria Ceramica's ethical code, which guarantee absolute compliance with labor regulations, and with the marks Made in Italy and Ceramics of Italy, which certify the quality of authentic Italian style.

Per Atlas Concorde, Made in Italy non è solo un prestigioso attestato di stile, design ed eccellenza produttiva, ma un modo di essere che coinvolge tutti gli aspetti della propria attività. Per questo ci riconosciamo nei valori espressi dal codice etico di Confindustria Ceramica, che garantiscono il rispetto assoluto delle normative sul lavoro, e nei marchi Made in Italy e Ceramics of Italy, che certificano la qualità dell'autentico stile italiano.

Certifications

Company certifications / Certificazioni aziendali




Product certifications / Certificazioni di prodotto



Product declarations / Dichiarazioni di prodotto



Certification for buildings / Rating dell'edificio



Certifications for export to international markets*



Ratings and memberships




* Shipments can be made in accordance with national requirements anywhere in the world, even in markets with complex customs procedures such as Egypt, Morocco and Kurdistan, thanks to our active cooperation with accredited certification bodies in each country. - Possibilità di spedizioni conformi alle prescrizioni nazionali ovunque nel mondo, anche in mercati con procedure doganali complesse come Egitto, Marocco, Kurdistan, grazie alla collaborazione sempre attiva con gli enti di certificazione accreditati in ciascun paese. - Dank unserer aktiven Zusammenarbeit mit den akkreditierten Zertifizierungsstellen in den einzelnen Ländern können die Sendungen in Übereinstimmung mit den nationalen Anforderungen überall auf der Welt versandt werden, selbst auf Märkten mit komplexen Zollverfahren wie Ägypten, Marokko und Kurdistan. - Possibilité d'expéditions conformes aux prescriptions nationales partout dans le monde, même sur les marchés dont les procédures douanières sont complexes comme l'Égypte, le Maroc ou le Kurdistan, grâce à la collaboration toujours active avec les organismes de certification homologués dans chaque pays. - Se pueden realizar envíos según la normativa nacional a cualquier parte del mundo, incluso a mercados con procedimientos aduaneros complejos como Egipto, Marruecos o Kurdistan, gracias a la cooperación permanente con los organismos de certificación acreditados en cada país. - Компания имеет возможность осуществлять поставки в любую точку мира в соответствии с национальными требованиями, даже на рынках со сложными таможенными процедурами, таких как Египет, Марокко, Курдистан, благодаря неизменно активному сотрудничеству с аккредитованными органами сертификации в каждой стране.

⁽¹⁾ Classificazione UPEC aggiornata al - Classement UPEC mis à jour au: 2024

⁽²⁾ Si consiglia la consultazione della pagina - On vous conseille de vous connecter à: <https://database.cstb.fr/holderdetails?UId=ETB-2094&AppRef=QB32>

⁽³⁾ Per ulteriori informazioni scrivere a - Pour tous renseignements complémentaires merci d'écrire à: france@atlasconcorde.it

⁽⁴⁾ Tutti i prodotti Atlas Concorde in gres porcellanato e in monocottura in pasta bianca possono essere utilizzati per progetti edili che seguono le linee guida del GREEN BUILDING COUNCIL e possono contribuire all'ottenimento del rating LEED V4 degli edifici. All Atlas Concorde porcelain tiles and white-body single-fired products can be used for building projects that follow the guidelines of the GREEN BUILDING COUNCIL and can contribute to the achievement of the LEED V4 rating for buildings.





atlasconcorde.com

Copyright 2024 by Ceramiche Atlas Concorde S.p.A
(41042 Spezzano di Fiorano (MO) - Italia)
September 2024